

SAFETY DATA SHEET

SDS No. 609BEU

Revision Date: January 27, 2023 Version: 1.0 According to Regulation (EC) No. 1907/2006 as amended

Section 1 - Identification of the substance/mixture and of the company/undertaking					
1.1	Product Identifier Trade Name:	Part B: PMC-780 DRY			
1.2	Relevant identified uses o General Use: Restrictions on Use:	f the substance or mixture and uses advised against Polyurethane Elastomer None known			
1.3	Details of the supplier of t Company: Telephone:	he safety data sheet: Smooth-On, Inc., 5600 Lower Macungie Rd., Macungie, PA 18062, USA Phone (610) 252-5800			
	E-mail address of person: responsible for the SDS	Visit our website at <u>www.smooth-on.com</u> or email sds@smooth-on.com			
1.4	Emergency Contact:	Chem-Tel Domestic: 800-255-3924 International: 813-248-0585			
		Italy Istituto Superiore di Sanità (ISS) +390649906140			

Section 2 – Hazard(s) Identification

2.1 Classification of the substance or mixture:

Classification (REGULATION (EC) No 1272/2008) as amended

- H302 Acute toxicity, dermal Category 4
- H312 Acute toxicity, oral Category 4
- H332 Acute toxicity, inhalation Category 4
- H373 Specific Target Organ Toxicity, repeated exposure Category 1
- H412 Hazardous to the aquatic environment, long-term hazard, Category 3

For the full text of the H-Statements mentioned in this Section, see Section 16

2.2 Label elements, including precautionary statements

Labelling (REGULATION (EC) No 1272/2008) as amended



Pictogram(s): Signal word: Warning

Health Hazards:

H302	Harmful if swallowed
H312 + H332	Harmful in contact with skin or if inhaled
H373	May cause damage to organs through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects

General Precautions:

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read label before use.

Prevention Precautions:

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P262 Take off contaminated clothing.
- P264 Wash with soap and water thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P281 Use personal protective equipment as required.

Response Precautions:

- P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- P302 + P350 IF ON SKIN: Gently wash with plenty of soap and water.
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P308 + P313 IF exposed or concerned: Get medical advice/ attention.
- P361 Take off immediately all contaminated clothing.
- P363 Wash contaminated clothing before reuse.
- P391 Collect spillage.

Storage Precautions:

P405 Store locked up.

Disposal Precautions:

P501 Dispose of contents/container according to local, state and federal laws.

Supplemental Hazard Statements:

None

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumul ative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Section 3 - Composition / Information on Ingredients

3.1 Substances/Mixtures

Hazardous ingredients according to Regulation (EC) No 1272/2008

Chemical name	Classification	CAS-No.	Concentration
Phenylmercuric oleate (C ₂₄ H ₃₈ HgO ₂)	Acute Toxicity, oral - Category 2 Acute Toxicity, dermal – Category 1 Acute Toxicity, inhalation – Category 2 Specific Target Organ Toxicity, repeated exposure – Category 2 Acute Aquatic Toxicity - Category 1 Chronic Aquatic Toxicity – Category 1	104-60-9 EC: 203-218-6	<0.90%

For the full text of the H-Statements mentioned in this Section, see Section 16.

Section 4 - First Aid Measures

4.1 Description of first aid measures

Inhalation

Remove source(s) of contamination and move victim to fresh air. If breathing has stopped, give artificial respiration, then oxygen if needed. Contact physician immediately.

Eye Contact

Flush eyes with plenty of water. If irritation persists, seek medical attention.

Skin Contact

In case of skin contact, wash thoroughly with soap and water.

Ingestion

Do not induce vomiting unless instructed by a physician. Never give anything by mouth to an unconscious person.

- **4.2 Most important symptoms and effects, both acute and delayed** None known.
- 4.3 Indication of any immediate medical attention and specific treatment needed

Section 5 - Fire-Fighting Measures

5.1 Extinguishing Media

Water Fog, Dry Chemical, and Carbon Dioxide Foam

5.2 Special hazards arising from the substance or mixture None known.

5.3 Advice for firefighters

Use water spray to cool fire-exposed surfaces and to protect personnel. Shut off "fuel" to fire. If a leak or spill has not ignited, use water spray to disperse the vapors. Either allow fire to burn under controlled conditions or extinguish with foam or dry chemical. Try to cover liquid spills with foam. Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full-face piece operated in pressure demand or positive-pressure mode.

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures Only properly protected personnel should remain in the spill area; dike and contain spill. Stop or reduce discharge if it can be done safely.

6.2 Environmental precautions

Stop spill/release if it can be done safely. Prevent spilled material from entering sewers, storm drains or unauthorized drainage systems and natural waterways by using sand, earth, or other appropriate barriers. No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

Put on appropriate protective gear including approved self-contained breathing apparatus, rubber boots and heavy rubber gloves. Dike and contain spill; absorb or scrape up excess into suitable container for disposal; wash area with dilute ammonia solution. Stop or reduce discharge if it can be done safely.

6.4 Reference to other sections

See Section 3 for list of Hazardous Ingredients; Sections 8 for Exposure Controls; and Section 13 for Disposal.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

Use good general housekeeping procedures. Wash hands after use. Do not get in eyes, on skin or on clothing. Do not breathe vapors or mists. Use good personal hygiene practices.

7.2 Conditions for safe storage, including any incompatibilities

Keep container(s) tightly closed and properly labeled. Store in cool, dry, well ventilated place away from heat, direct sunlight, strong oxidizers and any incompatibles. Store in approved containers and protect against physical damage. Keep containers securely sealed when not in use. Indoor storage should meet local standards and appropriate fire codes. Containers that have been opened must be carefully resealed to prevent leakage. Empty containers retain residue and may be dangerous. Avoid water contamination.

7.3 Specific end use(s)

These precautions are for room temperature handling. Other uses including elevated temperatures or aerosol/spray applications may require added precautions.

Section 8 - Exposure Controls / Personal Protection

8.1 Control parameters:

Component	CAS-No.	Value	Control Parameters	Basis
Phenylmercuric oleate (as mercury)	104-60-9	TWA	0.01 mg/m3	NIOSH
		STEL	0.03 mg/m3	NIOSH
		TWA	0.01 mg/m3	NIOSH, OSHA
		С	0.04 mg/m3	OSHA
		IDLH	2 mg/m3 (as Hg)	NIOSH

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006: None defined.

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006: None defined.

8.2 Exposure controls:

Engineering measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Skin and body protection

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Protective measures

Ensure that eye flushing systems and safety showers are located close to the working place.

Section 9 - Physical and Chemical Properties

9.1 Information on basic physical and chemical properties:

Appearance:	Clear to amber liquid	Vapor pressure:	No data
Color Intensity:	Light	Vapor density (Air=1):	>1
Odor:	Sharp pungent odor	Evaporation rate:	No data
pH:	Not Relevant (Insoluble in Water)	Solubility in water:	Insoluble
Flash Point:	>390 °F	Specific Gravity (H2O=1, at 4 °C):	1.03
Low / high boiling point:	No data	Relative density:	No data
Upper flammability limits:	No data	Decomposition temperature:	No data
Lower flammability limits:	No data	Viscosity:	<500 centipoise

Section 10 - Stability and Reactivity

10.1 Reactivity

No hazardous reactions if stored and handled as prescribed/indicated., No corrosive effect on metal. Not fire propagating.

10.2 Chemical stability

These products are stable at room temperature in closed containers under normal storage and handling conditions.

10.3 Possibility of hazardous reactions Hazardous polymerization cannot occur

- **10.4 Conditions to avoid** None known
- **10.5** Incompatible materials Strong bases and acids

10.6 Hazardous decomposition products

Thermal oxidative decomposition can produce carbon oxides, gasses/vapors, and traces of incompletely burned carbon compounds.

Section 11- Toxicological Information

11.1 Information on toxicological effects:

Acute Toxicity: Harmful if swallowed, Harmful in contact with skin or if inhaled <u>Phenylmercuric oleate CAS: 104-60-9</u> Oral - (Rat) mg/kg (LD50: 4,537.21) Inhalation - (Rat) mg/L/4hr (LC50: 19.04) Dermal – (Ray) LD50 150 mg/kg (Rabbit) (OECD guideline 401)

Diisononyl phthalate CAS: 28553-12-0

Dermal: LD50 Rabbit > 3160 mg/kg Inhalation: LC50 Rat > 4.4 mg/l, 4 Hours Oral: LD50 Rat > 10 g/kg) (OECD guideline 401)

Skin Corrosion/Irritation

Based on available data the classification criteria are not met.

Serious Eye Damage/Irritation

Based on available data the classification criteria are not met.

Respiratory/Skin Sensitization

Based on available data the classification criteria are not met.

Germ Cell Mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive Toxicity

Based on available data the classification criteria are not met.

Specific Target Organ Toxicity – Single Exposure

Based on available data the classification criteria are not met.

Specific Target Organ Toxicity – Repeated Exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration Hazard

Based on available data the classification criteria are not met.

Potential Health Effects – Miscellaneous

No data available

Section	12 - E	Ecological	Information
---------	--------	------------	-------------

12.1 Toxicity No data available

- 12.2 Persistence and Degradability No data available
- **12.3 Bioaccumulative Potential** No data available
- **12.4 Mobility in Soil** No data available
- **12.5 Results of PBT and vPvB assessment** No data available
- **12.6 Other Adverse Effects** No data available

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

Section 14 - Transport Information

- 14.1 UN number: none
- 14.2 UN proper shipping name: none
- 14.3 Transport hazard class(es): not applicable
- **14.4 Packing group:** not applicable
- 14.5 Environmental hazards: none known
- 14.6 Special precautions for user: none known
- 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: not applicable

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006 and EC No. 2020/878.

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	: Not applicable			
REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).	: Not applicable			
REACH Annex XIV: REACH Authorization List Phenylmercuric oleate 104-60-9	: Not applicable			
REACH Annex XVII: REACH Restricted Substance List: Phenylmercuric oleate 104-60-9				
Regulation (EC) No 2019/1021 on substances that deplete the ozone layer	: Not applicable			
Regulation (EC) No 850/2004 on persistent organic pollutants	: Not applicable			
Seveso III: Directive: Annex I Part 1 Section H1 Lower-tier requirements: 100 t				

15.2 Chemical safety assessment

Upper-tier requirements:

No chemical safety assessment has been carried out for this substance/mixture by the supplier.

16 - Other Information

Revision Date: January 27, 2023 Version: 1.0

H302 Acute toxicity, dermal - Category 4
H312 Acute toxicity, oral - Category 4
H332 Acute toxicity, inhalation – Category 4
H373 Specific Target Organ Toxicity, repeated exposure Category 1
H412 Hazardous to the aquatic environment, long-term hazard, Category 3

Full text of H-Statements referred to under Sections 2 and 3.

200 t

Abbreviations and acronyms

ATE - Acute Toxicity Estimate; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006; EINECS - European Inventory of Existing Commercial Chemical Substances

ELINCS - European List of Notified Chemical Substances; CAS# - Chemical Abstract Service number; PPE - Personal Protection Equipment; Kow - octanol-water partition coefficient; DNEL - Derived No Effect Level; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); NOEC - No Observed Effect Concentration; PNEC - Predicted No Effect Concentration; RMM - Risk Management Measure; OEL - Occupational Exposure Limit; PBT -Persistent, Bioaccumulative and Toxic; vPvB - Very Persistent and Very Bioaccumulative; STOT -Specific Target Organ Toxicity; CSA - Chemical Safety Assessment; EN - European Standard; UN -United Nations; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; IATA - International Air Transport Association; IMDG - International Maritime Dangerous Goods; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; WGK -Water Hazard Class

Disclaimer

The information contained in this Safety Data Sheet (SDS) is considered accurate as of the version date. However, no warranty is expressed or implied regarding the accuracy of the data. Since the use of this product is not within the control of Smooth-On Inc., it is the user's obligation to determine the suitability of the product for its intended application and assumes all risk and liability for its safe use.