

SAFETY DATA SHEET

SDS No. 1123BEU

Revision Date: November 28, 2022 Version: 1.0 According to Regulation (EC) No. 1907/2006 as amended

	Section 1 - Identification of the substance/mixture and of the company			
1.1	Product Identifier Trade Name:	Part B: XTC-3D		
1.2	Relevant identified uses o General Use: Restrictions on Use:	f the substance or mixture and uses advised against Curing Agent, Epoxy Coating None known		
1.3	Details of the supplier of t Company: Telephone:	ne safety data sheet: Smooth-On, Inc., 5600 Lower Macungie Rd., Macungie, PA 18062, USA Phone (610) 252-5800		
	E-mail address of person: responsible for the SDS	Visit our website at <u>www.smooth-on.com</u> or email sds@smooth-on.com		
1.4	Emergency Contact:	Chem-Tel Domestic: 800-255-3924 International: 813-248-0585 Italy Istituto Superiore di Sanità (ISS) +390649906140		

Section 2 – Hazard(s) Identification

2.1 Classification of the substance or mixture:

Classification (REGULATION (EC) No 1272/2008) as amended

- H302 Acute toxicity, oral Category 4
- H314 Skin corrosion Category 1B
- H318 Serious eye damage Category 1
- H335 Specific target organ toxicity single exposure Category 3
- **H361** Reproductive toxicity Category 2

For the full text of the H-Statements mentioned in this Section, see Section 16

2.2 Label elements, including precautionary statements

Labelling (REGULATION (EC) No 1272/2008) as amended



Health Hazard

I TO ATT THE A	•
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

- H335 May cause respiratory irritation.
- H361 Suspected of damaging fertility or the unborn child.

General Precautions

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read label before use.

Prevention Precautions

- P201 Obtain special instructions before use.
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
- P264 Wash skin with soap and water thoroughly after handling.
- P280 Wear protective gloves, long sleeves, and face shield or safety glasses
- P281 Use personal protective equipment as required.

Response Precautions

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

Disposal Precautions

P501 Dispose of contents/container according to local, state and federal laws

Supplemental Hazard Statements:

UFI: 8RW2-S04H-300X-V3PW

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumul ative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Section 3 - Composition / Information on Ingredients

3.1 Substances/Mixtures

Hazardous ingredients according to Regulation (EC) No 1272/2008

Chemical name	Classification	CAS-No.	Concentration (% w/w)
	Skin Irrit. 2 Eye Dam. 1	98-54-4	
Parateriarybutylphenol	Aquatic Chronic 1 Repr. 2	EC: 202-679-0	<50%
	Acute toxicity, oral – Category 4	25620-58-0	
trimethylhexamethylen ediamine	Skin corrosion – Category 1B Serious eye damage – Category 1	EC: 247-134-8	25% - 35%
	Acute toxicity, Oral (Category 4)		
1,3- benzenemethaneamin	Acute toxicity, Inhalation (Category 4) Skin corrosion (Category 1B)	1477-55-0	
е	Serious eye damage (Category 1) Skin sensitisation (Category 1)	EC: 216-032-5	10% - 30%

para-nonvinbonol	Acute toxicity, Oral (Category 4) Skin corrosion (Category 1B) Serious eye damage (Category 1) Aquatic Chronic 1 Reproductive toxicity (Category 2)	84852-15-3 EC: 284-325-5	0.1% - 5%
para-nonylphenol		EC: 284-325-5	0.1% - 5%

For the full text of the H-Statements mentioned in this Section, see Section 16.

Section 4 - First Aid Measures

4.1 Description of first aid measures

Inhalation

Remove source(s) of contamination and move victim to fresh air. If breathing has stopped, give artificial respiration, then oxygen if needed. Contact physician immediately.

Eye Contact

Flush eyes with plenty of water. If irritation persists, seek medical attention.

Skin Contact

In case of skin contact, wash thoroughly with soap and water.

Ingestion

Do not induce vomiting unless instructed by a physician. Never give anything by mouth to an unconscious person.

- **4.2 Most important symptoms and effects, both acute and delayed** None known.
- **4.3 Indication of any immediate medical attention and specific treatment needed.** None known.

Section 5 - Fire-Fighting Measures

5.1 Extinguishing Media Water Fog, Dry Chemical, and Carbon Dioxide Foam

5.2 Special hazards arising from the substance or mixture None known.

5.3 Advice for firefighters

Use water spray to cool fire-exposed surfaces and to protect personnel. Shut off "fuel" to fire. If a leak or spill has not ignited, use water spray to disperse the vapors. Either allow fire to burn under controlled conditions or extinguish with foam or dry chemical. Try to cover liquid spills with foam. Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full-face piece operated in pressure demand or positive-pressure mode.

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures Only properly protected personnel should remain in the spill area; dike and contain spill. Stop or reduce discharge if it can be done safely.

6.2 Environmental precautions

Stop spill/release if it can be done safely. Prevent spilled material from entering sewers, storm drains or unauthorized drainage systems and natural waterways by using sand, earth, or other appropriate barriers. No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

Put on appropriate protective gear including approved self-contained breathing apparatus, rubber boots and heavy rubber gloves. Dike and contain spill; absorb or scrape up excess into suitable container for disposal; wash area with dilute ammonia solution. Stop or reduce discharge if it can be done safely.

6.4 Reference to other sections

See Section 3 for list of Hazardous Ingredients; Sections 8 for Exposure Controls; and Section 13 for Disposal.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

Use good general housekeeping procedures. Wash hands after use. Do not get in eyes, on skin or on clothing. Do not breathe vapors or mists. Use good personal hygiene practices.

7.2 Conditions for safe storage, including any incompatibilities

Keep container(s) tightly closed and properly labeled. Store in cool, dry, well ventilated place away from heat, direct sunlight, strong oxidizers and any incompatibles. Store in approved containers and protect against physical damage. Keep containers securely sealed when not in use. Indoor storage should meet local standards and appropriate fire codes. Containers that have been opened must be carefully resealed to prevent leakage. Empty containers retain residue and may be dangerous. Avoid water contamination.

7.3 Specific end use(s)

These precautions are for room temperature handling. Other uses including elevated temperatures or aerosol/spray applications may require added precautions.

Section 8 - Exposure Controls / Personal Protection

8.1 Control parameters:

Components with workplace control parameters

Benzene-1,3-dimethaneamine	CLV: ACGIH	0.1 mg/m ³
CAS: 1477-55-0	CLV: NIOSH	0.1 mg/m ³
	CLV: OSHA Z1A	0.1 mg/m ³
	CLV: US CA OEL	0.1 mg/m ³
	CLV: TN OEL	0.1 mg/m ³

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006: None defined.

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006: None defined.

8.2 Exposure controls:

Engineering measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Skin and body protection

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Protective measures

Ensure that eye flushing systems and safety showers are located close to the working place.

Section 9 - Physical and Chemical Properties

9.1 Information on basic physical and chemical properties:

Appearance:	amber liquid	Vapor pressure:	<10.3 mmHg @ 70 °F
Color Intensity:	Light	Vapor density (Air=1):	>1
pH:	Not Relevant (Insoluble in Water)	Evaporation rate:	No data
Flash Point:	No data	Solubility in water:	Insoluble
		Specific Gravity	
Melting / freezing point:	No data	(H2O=1, at 4 °C):	0.98
Low / high boiling point:	500 °F	Relative density:	No data
Upper flammability limits:		Decomposition	
	No data	temperature:	No data
Lower flammability limits:	f.p. at or above 200 °F	Viscosity:	10 centipoise

Section 10 - Stability and Reactivity

10.1 Reactivity

No hazardous reactions if stored and handled as prescribed/indicated., No corrosive effect on metal. Not fire propagating.

10.2 Chemical stability

These products are stable at room temperature in closed containers under normal storage and handling conditions.

10.3 Possibility of hazardous reactions

Hazardous polymerization cannot occur

- 10.4 Conditions to avoid None known
- **10.5** Incompatible materials Strong bases and acids
- **10.6 Hazardous decomposition products** Thermal oxidative decomposition can produce carbon oxides, gasses/vapors, and traces of incompletely burned carbon compounds.

Section 11- Toxicological Information

11.1 Information on toxicological effects: Acute Toxicity:

para-nonylphenol CAS: 84852-15-3

Oral LD50 (rat): 1,750 mg/kg Dermal LD50 (rabbit): >2,000 mg/kg (rabbit, estimated) Inhalation: No data available

Skin Corrosion/Irritation

Causes severe skin burns and eye damage.

Serious Eye Damage/Irritation

Based on available data the classification criteria are not met

Respiratory/Skin Sensitization

May cause an allergic skin reaction

Germ Cell Mutagenicity

Based on available data the classification criteria are not met

Carcinogenicity

Based on available data the classification criteria are not met

Reproductive Toxicity

Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity – Single Exposure

May cause respiratory irritation

Specific Target Organ Toxicity – Repeated Exposure No data

Aspiration Hazard

Based on available data the classification criteria are not met

Potential Health Effects – Miscellaneous

Based on available data the classification criteria are not met

Section 12 - Ecological Information

12.1 Toxicity

No data is available on the product itself.

Toxicity to fish – Components		
nonyl phenol	LC50 (96 h): 0.128 mg/l	fathead minnow (<i>Pimephales promelas</i>)
trimethylhexamethylenediamine	LC50 (48 h): 172 mg/l	golden orfe (<i>Leuciscus</i> <i>idus</i>)
Toxicity to Daphnia – Components		,
nonyl phenol	EC50 (48 h): 0.0848	Daphnia
nonyl phenol	mg/l	Daphnia
	EČ50 (48 h): 0.19 mg/l	
trimethylhexamethylenediamine	EC50 (24 h): 31.5 mg/l	Daphnia magna
Toxicity to algae – components		
1,3-benzenemethanamine	EC50 (72 h): 12 mg/l	Scenedesmus subspicatus
trimethylhexamethylenediamine	EC50 (72 h): 29.5 mg/l	Desmodesmus subspicatus
12.2 Persistence and Degradability No data available		
12.3 Bioaccumulative Potential		
No data available		

12.4 Mobility in Soil No data available

12.5 Results of PBT and vPvB assessment No data available

12.6 Other Adverse Effects

No data available

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

Section 14 - Transport Information

- **14.1 UN number:** 2735
- **14.2 UN proper shipping name:** Amines, liquid, corrosive n.o.s. (1,3-benzenemethaneamine, trimethylhexamethylenediamine)
- 14.3 Transport hazard class(es): 8
- 14.4 Packing group:
- 14.5 Environmental hazards: none known
- 14.6 Special precautions for user: none known
- 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: not applicable

Section	15 -	Regulatory	/ Information
---------	------	------------	---------------

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006 and EC No. 2020/878.

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	: Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59). Parateriarybutylphenol 16-July 2019	
REACH Annex XIV: REACH Authorization List	: Not applicable
REACH Annex XVII: REACH Restricted Substance List	: Not applicable
Regulation (EC) No 2019/1021 on substances that deplete the ozone layer	: Not applicable
Regulation (EC) No 850/2004 on persistent organic pollutants	: Not applicable
Seveso III: Directive:	

Category E1

15.2 Chemical safety assessment

No chemical safety assessment has been carried out for this substance/mixture by the supplier.

16 - Other Information

Revision Date: November 28, 2022 Version: 1.0

Full text of H-Statements referred to under Sections 2 and 3.

- H302 Acute toxicity, oral Category 4
- H314 Skin corrosion Category 1B
- H318 Serious eye damage Category 1
- H335 Specific target organ toxicity single exposure Category 3
- **H361** Reproductive toxicity Category 2

Abbreviations and acronyms

ATE - Acute Toxicity Estimate; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006; EINECS - European Inventory of Existing Commercial Chemical Substances ELINCS - European List of Notified Chemical Substances; CAS# - Chemical Abstract Service number; PPE - Personal Protection Equipment; Kow - octanol-water partition coefficient; DNEL - Derived No Effect Level; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); NOEC - No Observed Effect Concentration; PNEC - Predicted No Effect Concentration; RMM - Risk Management Measure; OEL - Occupational Exposure Limit; PBT - Persistent, Bioaccumulative and Toxic; vPvB - Very Persistent and Very Bioaccumulative; STOT - Specific Target Organ Toxicity; CSA - Chemical Safety Assessment; EN - European Standard; UN - United Nations; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; IATA - International Air Transport Association; IMDG - International Maritime Dangerous Goods; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; WGK - Water Hazard Class

Disclaimer

The information contained in this Safety Data Sheet (SDS) is considered accurate as of the version date. However, no warranty is expressed or implied regarding the accuracy of the data. Since the use of this product is not within the control of Smooth-On Inc., it is the user's obligation to determine the suitability of the product for its intended application and assumes all risk and liability for its safe use.