

**Section 1 - Identification of the substance/mixture and of the company/undertaking**

**1.1 Product Identifier**

Trade Name: Ease Release® 2251-5, 2305, 2617-5, 2770, 2831, 2910-5, 205, 305, 1705, 2687-5, 2251 Bulk Concentrate. 2191-5, 6577-5; Permaseal® 010 Primer, 650

UFI: 7YS2-G0S1-N005-S322

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

General Use: Mold Release Agent

Restrictions on Use: None known

**1.3 Details of the supplier of the safety data sheet:**

Company: Mann Release Technologies, Inc.,  
5600 Lower Macungie Rd., Macungie, PA 18062

Telephone: Phone (610) 252-5800

**1.4 Emergency Contact:** Chem-Tel Domestic: 800-255-3924 International: 813-248-0585

**Italy Istituto Superiore di Sanità (ISS) +390649906140**

**Section 2 – Hazard(s) Identification**

**2.1 Classification of the substance or mixture:**

**Classification (REGULATION (EC) No 1272/2008) as amended**

**H225** Flammable Liquids – Category 2

**H304** Aspiration Hazard – Category 1

**H315** Skin Irritation – Category 2

**H336** Specific Target Organ Toxicity (central nervous system) – Category 3

**H400** Hazardous to the aquatic environment, acute hazard – Category 1

**H410** Hazardous to the aquatic environment, long-term hazard – Category 1

For the full text of the H-Statements mentioned in this Section, see Section 16

**2.2 Label elements, including precautionary statements**

**Labelling (REGULATION (EC) No 1272/2008) as amended**



**Pictogram(s):**

**Signal word:** Danger

**Hazard Statements**

H225 Highly flammable liquid and vapour

|      |  |
|------|--|
| H304 | May be fatal if swallowed and enters airways         |
| H315 | Causes skin irritation                               |
| H336 | May cause drowsiness or dizziness                    |
| H400 | Very toxic to aquatic life                           |
| H410 | Very toxic to aquatic life with long lasting effects |

**Precautionary Statements**

|             |  |
|-------------|--|
| P210        | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P273        | Avoid release to the environment.  |
| P301 + P310 | IF SWALLOWED: Immediately call a POISON CENTER/doctor/physician.                               |
| P312        | Call a POISON CENTER or doctor/physician if you feel unwell.                                   |
| P370 + P378 | In case of fire: Use Water Fog, Dry Chemical, and Carbon Dioxide Foam to extinguish.           |
| P391        |  |
| P403 + P235 | Store in a well-ventilated place. Keep cool.   |
| P501        | Dispose of contents/ container to an approved waste disposal plant.                            |

**2.3 Other hazards**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**Section 3 - Composition / Information on Ingredients****3.1 Substances/Mixtures****Hazardous ingredients according to Regulation (EC) No 1272/2008**

| Chemical name                        |            | Classification   | Concentration |
|--------------------------------------|------------|--|---------------|
| <b>Hydrocarbons,C7-C9,isoalkanes</b> |            |  |               |
| CAS-No.                              | 64741-66-8 | Flam. Liq. 2; Aspir. Tox 1; Skin Irrit. 2;<br>STOT SE 3; Aquatic Chronic 2,<br>(H225, H304, H315, H336,H412) | 50% - 95%     |
| EC:                                  | 921-728-3  |  |               |

For the full text of the H-Statements mentioned in this Section, see Section 16.

**Section 4 - First Aid Measures****4.1 Description of first aid measures****Inhalation**

Remove source(s) of contamination and move victim to fresh air. If breathing has stopped, give artificial respiration, then oxygen if needed. Contact physician immediately.

**Eye Contact**

Flush eyes with plenty of water. If irritation persists, seek medical attention.

**Skin Contact**

In case of skin contact, wash thoroughly with soap and water.

**Ingestion**

Do not induce vomiting unless instructed by a physician. Never give anything by mouth to an unconscious person.

**4.2 Most important symptoms and effects, both acute and delayed**

None known.

**4.3 Indication of any immediate medical attention and specific treatment needed****Section 5 - Fire-Fighting Measures**

**5.1 Flammable Classification:** Flammable, flash point > -8 °C

**Extinguishing Media**

Water Fog, Dry Chemical, and Carbon Dioxide Foam

**5.2 Special hazards arising from the substance or mixture**

None known.

**5.3 Advice for firefighters**

Use water spray to cool fire-exposed surfaces and to protect personnel. Shut off "fuel" to fire. If a leak or spill has not ignited, use water spray to disperse the vapors. Either allow fire to burn under controlled conditions or extinguish with foam or dry chemical. Try to cover liquid spills with foam. Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full-face piece operated in pressure demand or positive-pressure mode.

**Section 6 - Accidental Release Measures****6.1 Personal precautions, protective equipment and emergency procedures**

Only properly protected personnel should remain in the spill area; dike and contain spill. Stop or reduce discharge if it can be done safely.

**6.2 Environmental precautions**

Stop spill/release if it can be done safely. Prevent spilled material from entering sewers, storm drains or unauthorized drainage systems and natural waterways by using sand, earth, or other appropriate barriers. No special environmental precautions required.

**6.3 Methods and material for containment and cleaning up**

Put on appropriate protective gear including approved self-contained breathing apparatus, rubber boots and heavy rubber gloves. Dike and contain spill; absorb or scrape up excess into suitable container for disposal; wash area with dilute ammonia solution. Stop or reduce discharge if it can be done safely.

**6.4 Reference to other sections**

See Section 3 for list of Hazardous Ingredients; Sections 8 for Exposure Controls; and Section 13 for Disposal.

**Section 7 - Handling and Storage****7.1 Precautions for safe handling**

Avoid contact with skin. Prevent exposure to ignition sources, for example use non-sparking tools and explosion-proof equipment. Potentially toxic/irritating fumes/vapors may be evolved from heated or agitated material. Use only with adequate ventilation. Prevent small spills and leakage to avoid slip hazard. Material can accumulate static charges which may cause an electrical spark (ignition source). Use proper bonding and/or ground procedures. However, bonding and grounds may not eliminate the hazard from static accumulation. Consult local applicable standards for guidance.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container(s) tightly closed and properly labeled. Store in cool, dry, well ventilated place away from heat, direct sunlight, strong oxidizers and any incompatibles. Store in approved containers and protect against physical damage. Keep containers securely sealed when not in use. Indoor storage should meet local standards and appropriate fire codes. Containers that have been opened must be carefully resealed to prevent leakage. Empty containers retain residue and may be dangerous. Avoid water contamination.

### 7.3 Specific end use(s)

These precautions are for room temperature handling. Other uses including elevated temperatures or aerosol/spray applications may require added precautions.

## Section 8 - Exposure Controls / Personal Protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### **Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:**

None defined.

#### **Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:**

None defined.

### 8.2 Exposure controls

#### **Engineering measures**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### **Personal protective equipment**

##### **Eye protection**

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

##### **Hand protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves must satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

##### **Skin and body protection**

Complete suit protecting against chemicals. The type of protective equipment must be selected

according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Protective measures

Ensure that eye flushing systems and safety showers are located close to the working place.

## Section 9 - Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties:

|  |                                   |   |                 |
|--|-----------------------------------|---|-----------------|
| <b>Appearance:</b>                                   | Clear to Amber Liquid             | <b>Vapor pressure:</b>                          | 34 mm Hg @ 20°C |
| <b>Odor:</b>   | Mild petroleum/solvent            | <b>Vapor density (Air=1):</b>                   | 3.9             |
| <b>Color Intensity:</b>                              | Transparent                       | <b>Relative density:</b>                        | No data         |
| <b>pH:</b>   | Not Relevant (Insoluble in Water) | <b>Solubility:</b>                              | Insoluble       |
| <b>Melting / freezing point:</b>                     | No data                           | <b>Partition coefficient (n-octanol/water):</b> | No data         |
| <b>Low / high boiling point:</b>                     | 97°C - 104°C                      | <b>Auto-ignition temperature:</b>               | 430°C           |
| <b>Flash Point:</b>                                  | >8°C                              | <b>Decomposition temperature:</b>               | No data         |
| <b>Evaporation rate:</b>                             | 3.83 (nBuAc=1)                    | <b>Viscosity:</b>                               | <100 centipoise |
| <b>Flammability (solid, gas):</b>                    | Flammable                         | <b>% Volatile:</b>                              | 50 – 85         |
| <b>Lower/upper flammability or explosive limits:</b> | 0.9/6.3 (approximate)             | <b>Specific Gravity (H2O=1, at 4 °C):</b>       | 0.7 – 0.9       |

## Section 10 - Stability and Reactivity

### 10.1 Reactivity

No hazardous reactions if stored and handled as prescribed/indicated., No corrosive effect on metal. Not fire propagating.

### 10.2 Chemical stability

These products are stable at room temperature in closed containers under normal storage and handling conditions.

### 10.3 Possibility of hazardous reactions

Hazardous polymerization cannot occur.

### 10.4 Conditions to avoid

None known.

### 10.5 Incompatible materials

Strong bases and acids.

### 10.6 Hazardous decomposition products

Thermal oxidative decomposition can produce carbon oxides, gasses/vapors, and traces of incompletely burned carbon compounds.

## Section 11- Toxicological Information

### 11.1 Information on toxicological effects

#### Acute Toxicity

Naphtha (Petroleum), Light Alkylate CAS: 64741-66-8

|            |              |                  |
|------------|--------------|------------------|
| Inhalation | LC50 (rat)   | >21 mg/l (vapor) |
| Ingestion  | LD50 (rat)   | >5,000 mg/kg     |
| Dermal     | LD50(rabbit) | >2,000 mg/kg     |

#### Skin Corrosion/Irritation

Causes skin irritation

#### Serious Eye Damage/Irritation

Based on available data the classification criteria are not met.

#### Respiratory/Skin Sensitization

Based on available data the classification criteria are not met.

#### Germ Cell Mutagenicity

Based on available data the classification criteria are not met.

#### Carcinogenicity

Based on available data the classification criteria are not met.

#### Reproductive Toxicity

Based on available data the classification criteria are not met.

#### Specific Target Organ Toxicity – Single Exposure

May cause drowsiness or dizziness

#### Specific Target Organ Toxicity – Repeated Exposure

Based on available data the classification criteria are not met.

#### Aspiration Hazard

May be fatal if swallowed and enters airways

#### Potential Health Effects – Miscellaneous

No data available

## Section 12 - Ecological Information

### 12.1 Toxicity

#### Aquatic toxicity

Aquatic-Acute Toxicity 48 hrs Daphnia magna EL50 2.4 mg/l

Aquatic-Chronic Toxicity 21 days Daphnia magna NOEC 0.17 mg/l

### 12.2 Persistence and Degradability

No data available

### 12.3 Bioaccumulative Potential

No data available

**12.4 Mobility in Soil**

Highly volatile, will partition rapidly to air. Not expected to partition to sediment and wastewater solids.

**12.5 Results of PBT and vPvB assessment**

No data available

**12.6 Other Adverse Effects**

No data available

|   |
|---|
| <b>Section 13 - Disposal Considerations</b> |
|---|

**13.1 Waste treatment methods****Product**

Offer surplus and non-recyclable solutions to a licensed disposal company.

**Contaminated packaging**

Dispose of as unused product.

|   |
|---|
| <b>Section 14 - Transport Information</b> |
|---|

**14.1 UN number**

ADR/RID: - 1866

IMDG: - 1866

IATA: - 1866

**14.2 UN proper shipping name**

ADR/RID: Resin solution

IMDG: Resin solution

IATA: Resin solution

**14.3 Transport hazard class(s)**

ADR/RID: - 3

IMDG: - 3

IATA: - 3

**14.4 Packing group**

ADR/RID: - II

IMDG: - II

IATA: - II

**14.5 Environmental hazards**

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

**14.6 Special precautions for user**

No data available

**14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable

|  |
|--|
| <b>Section 15 - Regulatory Information</b> |
|--|

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006 and EC No. 2020/878.

**Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of**

: Not applicable

**dangerous chemicals**

**REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).** : Not applicable

**REACH Annex XIV: REACH Authorization List** : Not applicable

**REACH Annex XVII: REACH Restricted Substance List** : Not applicable

**Regulation (EC) No 2019/1021 on substances that deplete the ozone layer** : Not applicable

**Regulation (EC) No 850/2004 on persistent organic pollutants** : Not applicable

**Seveso III: Directive:**

Dangerous substance/hazard categories: P5a, P5b, P5c, E1

**15.2 Chemical safety assessment**

No chemical safety assessment has been carried out for this substance/mixture by the supplier.

**16 - Other Information****Full text of H-Statements referred to under Sections 2 and 3.**

|      |  |
|------|--|
| H225 | Highly flammable liquid and vapour           |
| H304 | May be fatal if swallowed and enters airways |
| H315 | Causes skin irritation                       |
| H336 | May cause drowsiness or dizziness            |

**Version 2 Revision Date January 13, 2023****Abbreviations and acronyms**

ATE - Acute Toxicity Estimate; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006; EINECS - European Inventory of Existing Commercial Chemical Substances  
 ELINCS - European List of Notified Chemical Substances; CAS# - Chemical Abstract Service number;  
 PPE - Personal Protection Equipment; Kow - octanol-water partition coefficient; DNEL - Derived No Effect Level; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); NOEC - No Observed Effect Concentration; PNEC - Predicted No Effect Concentration; RMM - Risk Management Measure; OEL - Occupational Exposure Limit; PBT - Persistent, Bioaccumulative and Toxic; vPvB - Very Persistent and Very Bioaccumulative; STOT - Specific Target Organ Toxicity; CSA - Chemical Safety Assessment; EN - European Standard; UN - United Nations; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; IATA - International Air Transport Association; IMDG - International Maritime Dangerous Goods; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; WGK - Water Hazard Class

**Disclaimer**

The information contained in this Safety Data Sheet (SDS) is considered accurate as of the version date. However, no warranty is expressed or implied regarding the accuracy of the data. Since the use of this product is not within the control of Smooth-On Inc., it is the user's obligation to determine the suitability of the product for its intended application and assumes all risk and liability for its safe use.