

# SAFETY DATA SHEET

SDS No. 1813EU

according to Regulation (EC)

No. 1907/2006 as amended

Version 1 Revision Date: January 17, 2023

## Section 1 - Identification of the substance/mixture and of the company/undertaking

### 1.1 Product Identifier

Trade Name: **BR Vertical Mix**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General Use: Concrete-based material

Restrictions on Use: None known

### 1.3 Details of the supplier of the safety data sheet:

Company: Buddy Rhodes Concrete Products  
5600 Lower Macungie Rd., Macungie, PA 18062

Telephone: Domestic: 1 (877) 706-5303  
International: (610) 252-5800 (collect calls accepted)

E-mail address: Visit our website at [www.buddyrhodes.com](http://www.buddyrhodes.com)

1.4 Emergency Contact: Chem-Tel Domestic: 800-255-3924 International: 813-248-0585

## Section 2 – Hazard(s) Identification

### 2.1 Classification of the substance or mixture:

Classification (REGULATION (EC) No 1272/2008) as amended

**H315** Skin Corrosion/Irritation – Category 2

**H317** Skin Sensitization – Category 1

**H318** Serious Eye Damage/Eye Irritation – Category 1

**H335** Specific Target Organ Toxicity, single exposure (respiratory) – Category 3

For the full text of the H-Statements mentioned in this Section, see Section 16

### 2.2 Label elements, including precautionary statements

Labelling (REGULATION (EC) No 1272/2008) as amended



Pictogram(s):

Signal word: **Danger**

#### Health Hazards

H315 Causes skin irritation

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation

#### General Precautions

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

#### Prevention Precautions

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash with soap and water thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

#### Response Precautions

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water [or shower].

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P363 Wash contaminated clothing before reuse.

#### Storage Precautions

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

#### Disposal Precautions

P501 Dispose of contents/container to an approved waste disposal plant.

#### Supplemental Hazard Statements:

UFI: 74S2-E0V2-K006-5P7E

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## Section 3 - Composition / Information on Ingredients

### 3.1 Substances/Mixtures

#### Hazardous ingredients according to Regulation (EC) No 1272/2008

Chemical name	Classification	CAS-No.	Concentration
<b>Cement, Portland, chemicals</b>	Skin Irrit. 2 Skin Sens. 1B Eye Dam. 1 H335 STOT SE 3	65997-15-1 EC:266-043-4	<50
<b>Calcium Oxide</b>	Skin Corr. 1B Eye Dam. 1 H335 STOT SE 3	1305-78-8 EC: 215-138-9	0 – 4

For the full text of the H-Statements mentioned in this Section, see Section 16.

## Section 4 - First Aid Measures

### 4.1 Description of first aid measures

**Inhalation**

Remove source(s) of contamination and move victim to fresh air. If breathing has stopped, give artificial respiration, then oxygen if needed. Contact physician immediately.

**Eye Contact**

Flush eyes with plenty of water. If irritation persists, seek medical attention.

**Skin Contact**

In case of skin contact, wash thoroughly with soap and water.

**Ingestion**

Do not induce vomiting unless instructed by a physician. Never give anything by mouth to an unconscious person.

**4.2 Most important symptoms and effects, both acute and delayed**

None known.

**4.3 Indication of any immediate medical attention and specific treatment needed****Section 5 - Fire-Fighting Measures****5.1 Extinguishing Media**

Water Fog, Dry Chemical, and Carbon Dioxide Foam

**5.2 Special hazards arising from the substance or mixture**

None known.

**5.3 Advice for firefighters**

Use water spray to cool fire-exposed surfaces and to protect personnel. Shut off "fuel" to fire. If a leak or spill has not ignited, use water spray to disperse the vapors. Either allow fire to burn under controlled conditions or extinguish with foam or dry chemical. Try to cover liquid spills with foam. Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full-face piece operated in pressure demand or positive-pressure mode.

**Section 6 - Accidental Release Measures****6.1 Personal precautions, protective equipment and emergency procedures**

Only properly protected personnel should remain in the spill area; dike and contain spill. Stop or reduce discharge if it can be done safely.

**6.2 Environmental precautions**

Stop spill/release if it can be done safely. Prevent spilled material from entering sewers, storm drains or unauthorized drainage systems and natural waterways by using sand, earth, or other appropriate barriers. No special environmental precautions required.

**6.3 Methods and material for containment and cleaning up**

Put on appropriate protective gear including approved self-contained breathing apparatus, rubber boots and heavy rubber gloves. Dike and contain spill; absorb or scrape up excess into suitable container for disposal; wash area with dilute ammonia solution. Stop or reduce discharge if it can be done safely.

**6.4 Reference to other sections**

See Section 3 for list of Hazardous Ingredients; Sections 8 for Exposure Controls; and Section 13 for Disposal.

### Section 7 - Handling and Storage

#### 7.1 Precautions for safe handling

Use good general housekeeping procedures. Wash hands after use. Do not get in eyes, on skin or on clothing. Do not breathe vapors or mists. Use good personal hygiene practices.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container(s) tightly closed and properly labeled. Store in cool, dry, well ventilated place away from heat, direct sunlight, strong oxidizers and any incompatibles. Store in approved containers and protect against physical damage. Keep containers securely sealed when not in use. Indoor storage should meet local standards and appropriate fire codes. Containers that have been opened must be carefully resealed to prevent leakage. Empty containers retain residue and may be dangerous. Avoid water contamination.

#### 7.3 Specific end use(s)

These precautions are for room temperature handling. Other uses including elevated temperatures or aerosol/spray applications may require added precautions.

### Section 8 - Exposure Controls / Personal Protection

#### 8.1 Control parameters:

<b>Cement, portland, chemicals</b>		
USA ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup> (respirable fraction)
USA OSHA	OSHA PEL (STEL) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> 8 hours (respirable fraction) 15 mg/m <sup>3</sup> 8 hours (respirable dust)
USA NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> 10 hours (respirable fraction) 10 mg/m <sup>3</sup> 10 hours (respirable dust)
<b>Calcium oxide (1305-78-8)</b>		
USA ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup> 8 hours
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> 8 hours
USA NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup> 10 hours
<b>Quartz (14808-60-7)</b>		
USA ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	0.025 mg/m <sup>3</sup> 8 hours (respirable fraction)
USA OSHA	OSHA PEL (STEL) (mg/m <sup>3</sup> )	10mg/m <sup>3</sup> /%SiO <sub>2</sub> +2 (respirable fraction) 30mg/m <sup>3</sup> /%SiO <sub>2</sub> +2 (total fraction)
USA NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	0.05 mg/m <sup>3</sup> 8 hours (respirable dust)

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

None defined.

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

None defined.

#### 8.2 Exposure controls:

##### Engineering measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

**Personal protective equipment****Eye protection**

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

**Hand protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

**Skin and body protection**

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

**Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

**Protective measures**

Ensure that eye flushing systems and safety showers are located close to the working place.

<b>Section 9 - Physical and Chemical Properties</b>
---

**9.1 Information on basic physical and chemical properties:**

<b>Appearance:</b>	White powder	<b>Vapor pressure:</b>	No data
<b>Color Intensity</b>	Light	<b>Vapor density (Air=1):</b>	No data
<b>pH:</b>	10 – 11	<b>Evaporation rate:</b>	No data
<b>Flash Point:</b>	No data	<b>Solubility in water:</b>	Not Data
<b>Melting / freezing point:</b>	No data	<b>Specific Gravity (H2O=1, at 4 °C):</b>	No data
<b>Low / high boiling point:</b>	No data	<b>Relative density:</b>	No data
<b>Upper flammability limits:</b>	No data	<b>Decomposition temperature:</b>	No data
<b>Lower flammability limits:</b>	No data	<b>Viscosity:</b>	No data

<b>Section 10 - Stability and Reactivity</b>
--

**10.1 Reactivity**

No hazardous reactions if stored and handled as prescribed/indicated., No corrosive effect on metal. Not fire propagating.

**10.2 Chemical stability**

These products are stable at room temperature in closed containers under normal storage and handling conditions.

**10.3 Possibility of hazardous reactions**

Hazardous polymerization cannot occur

**10.4 Conditions to avoid**

None known

**10.5 Incompatible materials**

Strong bases and acids

**10.6 Hazardous decomposition products**

Thermal oxidative decomposition can produce carbon oxides, gasses/vapors, and traces of incompletely burned carbon compounds.

**Section 11- Toxicological Information****11.1 Information on toxicological effects:****Acute Toxicity**

Cement, Portland, CAS: 65997-15-1

LD50 Oral Rat 7340 mg/kg

LD50 Oral Rat > 2000 mg/kg

LD50 Dermal Rabbit > 2500 mg/kg

**Skin Corrosion/Irritation**

Causes skin irritation

**Serious Eye Damage/Irritation**

Causes serious eye damage.

**Respiratory/Skin Sensitization**

May cause an allergic skin reaction.

**Germ Cell Mutagenicity**

Based on available data the classification criteria are not met.

**Carcinogenicity**

Based on available data the classification criteria are not met.

**Reproductive Toxicity**

Based on available data the classification criteria are not met.

**Specific Target Organ Toxicity – Single Exposure**

May cause respiratory irritation

**Specific Target Organ Toxicity – Repeated Exposure**

Based on available data the classification criteria are not met.

**Aspiration Hazard**

Based on available data the classification criteria are not met.

**Potential Health Effects – Miscellaneous**

No data available

## Section 12 - Ecological Information

### 12.1 Toxicity

Name	Result	Species	Exposure
Calcium oxide	Chronic NOEC 100 mg/L Fresh water	Fish—Oreochromis niloticus—Juvenile (Fledgling, Hatchling, Weanling)	46 days

### 12.2 Persistence and Degradability

No data available

### 12.3 Bioaccumulative Potential

No data available

### 12.4 Mobility in Soil

No data available

### 12.5 Results of PBT and vPvB assessment

No data available

### 12.6 Other Adverse Effects

No data available

## Section 13 - Disposal Considerations

### 13.1 Waste treatment methods

#### Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

#### Contaminated packaging

Dispose of as unused product.

## Section 14 - Transport Information

14.1 UN number: none

14.2 UN proper shipping name: none

14.3 Transport hazard class(es): not applicable

14.4 Packing group: not applicable

14.5 Environmental hazards: none known

14.6 Special precautions for user: none known

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: not applicable

## Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006 and EC No. 2020/878.

<b>Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals</b>	: Not applicable
<b>REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).</b>	: Not applicable
<b>REACH Annex XIV: REACH Authorization List</b>	: Not applicable
<b>REACH Annex XVII: REACH Restricted Substance List:</b>	: Not applicable
<b>Regulation (EC) No 2019/1021 on substances that deplete the ozone layer</b>	: Not applicable
<b>Regulation (EC) No 850/2004 on persistent organic pollutants</b>	: Not applicable
<b>Seveso III: Directive</b>	: Not applicable

## 15.2 Chemical safety assessment

No chemical safety assessment has been carried out for this substance/mixture by the supplier.

## 16 - Other Information

### Full text of H-Statements referred to under Sections 2 and 3.

- H314** Skin Corrosion/Irritation – Category 1
- H317** Skin Sensitization – Category 1
- H318** Serious Eye Damage/Eye Irritation – Category 1
- H335** Specific Target Organ Toxicity, single exposure (respiratory) – Category 3

Version 1 Revision Date: January 17, 2023

### Abbreviations and acronyms

ATE - Acute Toxicity Estimate; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006; EINECS - European Inventory of Existing Commercial Chemical Substances  
 ELINCS - European List of Notified Chemical Substances; CAS# - Chemical Abstract Service number;  
 PPE - Personal Protection Equipment; Kow - octanol-water partition coefficient; DNEL - Derived No Effect Level; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); NOEC - No Observed Effect Concentration; PNEC - Predicted No Effect Concentration; RMM - Risk Management Measure; OEL - Occupational Exposure Limit; PBT - Persistent, Bioaccumulative and Toxic; vPvB - Very Persistent and Very Bioaccumulative; STOT - Specific Target Organ Toxicity; CSA - Chemical Safety Assessment; EN - European Standard; UN - United Nations; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; IATA - International Air Transport Association; IMDG - International Maritime Dangerous Goods; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; WGK - Water Hazard Class

### Disclaimer

The information contained in this Safety Data Sheet (SDS) is considered accurate as of the version date. However, no warranty is expressed or implied regarding the accuracy of the data. Since the use of this product is not within the control of Smooth-On Inc., it is the user's obligation to determine the suitability of the product for its intended application and assumes all risk and liability for its safe use.